
# 03 0381

Circular connectors with threaded joint M16 acc. to IEC 61076-2-106, IP40/IP68



Protecting cap, IP68, for sockets, with chain

# 03 0381




## Environmental conditions

| | |
|---|---|
| Temperature range | -40 °C/+85 °C |

## Materials

| | |
|---|---|
| Cap | CuZn, nickel-plated |
| Chain | CuZn, pre-nickel and verchromt |

## Mechanical data

| | |
|---|---|
| Tightening torque connector | 1-3 Nm |
| Tightening torque nut | 1-3 Nm |
| Protection class | IP68 [1] |

[1] according to IEC DIN EN 60529, only in locked condition with an appropriate counterpart; IPX8 requirements under agreement between manufacturer and user

## Associated products

Accessories

| | | |
|---|---|---|
| 030398 | 0304 | 0304-1 |
| 0304-2 | 0305 | 0305-1 |
| 0305-1 U | 0305-2 | 0306 |
| 0306-1 | 0306-2 | 0307 |
| 0307-1 | 0307-2 | 030798-1 |
| 030798-2 | 030799-2 | 0308 |
| 0308-1 | 0308-2 | 0321 |
| 0322 | 0322-1 | 032200 |
| 0360 | 036000 | 0362 |
| 036297 | 0363 | KFR |
| KFV | KGR | KGV |
| KV | KV ...-8 | WKV |
| Weitere Produkte auf Anfrage | Weitere Produkte auf Anfrage | |

# 03 0381

| Designation | Pole Number | PU (Pieces) | MDQ (Pieces) |
|---|---|---|---|
| 0381 | - | 50 | 100 |

**Packaging:**
in a cardboard box