


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION –,– .
© COPYRIGHT – By – ALL RIGHTS RESERVED.


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	2	STRIKE THROUGH OBS PARTS. ECR–16009538	08JUL2016	AFK	LS











NOTE:

1. FOR PART NUMBERS SEE SHEET 3 OF 3.
2. MARK SHOULD BE CENTRALLY POSITIONED ±0.1mm.
3. WIDTH OF MARK DEPENDS ON CHARACTER PRINTED

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± –
2 PLC ± –
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL –

FINISH –

DWN RAGHAVENDRA K 25MAR2013
CHK KEAN ALAN 25MAR2013
APVD MARIO APPELLO 25MAR2013
PRODUCT SPEC –
APPLICATION SPEC –
WEIGHT 0

TE Connectivity

NAME SNAP–ON MARKER STB/STD 12 WITH APPLICATOR
–
–


SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C–1768045–1	–


CUSTOMER DRAWING | SCALE NTS | SHEET 1 OF 3 | REV 2


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION –,– .
© COPYRIGHT – By – ALL RIGHTS RESERVED.


REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	–	SEE SHEET 1	–	—	—

















THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± –
2 PLC ± –
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL –

FINISH –

DWN	RAGHAVENDRA K	25MAR2013
CHK	KEAN ALAN	25MAR2013
APVD	MARIO APPELLO	25MAR2013
PRODUCT SPEC	—	
APPLICATION SPEC	—	
WEIGHT	–	

CUSTOMER DRAWING

TE Connectivity

NAME: SNAP–ON MARKER STB/STD 12 WITH APPLICATOR

–

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C–1768045–1	—

SCALE	SHEET	REV
NTS	2 OF 3	2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION –,– .
© COPYRIGHT – By – ALL RIGHTS RESERVED.

DESCRIPTION	PART NO.
STB12–0–0	4–1768039–4
STB12–1–1	4–1768039–5
STB12–2–2	4–1768039–6
STB12–3–3	4–1768039–7
STB12–5–5	4–1768039–8
STB12–6–6	4–1768039–9
STB12–7–7	5–1768039–0
STB12–8–8	5–1768039–1
STB12–BLANK–0	5–1768039–2
STB12–BLANK–1	5–1768039–3
STB12–BLANK–2	5–1768039–4
STB12–BLANK–3	5–1768039–5
STB12–BLANK–5	5–1768039–6
STB12–BLANK–6	5–1768039–7
STB12–BLANK–7	5–1768039–8
STB12–BLANK–8	5–1768039–9
STD12W/1–12	7–1768403–0
STD12W–0	027608–000
STD12W–1	028690–000
STD12W–2	127922–000
STD12W–3	869998–000
STD12W–4	422284–000
STD12W–5	329976–000
STD12W–6	654200–000
STD12W–7	727782–000
STD12W–8	157886–000
STD12W–9	612832–000
STD12W–A	392758–000
STD12W–AC	8–1768044–0
STD12W–B	190370–000
STD12W–BLANK	8–1768044–2
STD12W–C	379242–000
STD12W–COLON	227492–000
STD12W–D	466552–000
4 ~~STD12W–D–LC~~	~~8–1768044–4~~
STD12W–DOT	8–1768044–5
STD12W–E	952178–000

DESCRIPTION	PART NO.
STD12W–EARTH	8–1768044–6
STD12W–F	242654–000
STD12W–G	371912–000
STD12W–H	544882–000
STD12W–I	743644–000
STD12W–J	925236–000
STD12W–K	402858–000
STD12W–L	372210–000
STD12W–M	797170–000
STD12W–MINUS	9–1768044–3
STD12W–N	224378–000
STD12W–P	200490–000
STD12W–PLUS	9–1768044–6
STD12W–Q	881472–000
STD12W–R	610526–000
STD12W–S	958362–000
STD12W–SLASH	102828–000
STD12W–T	080248–000
STD12W–U	606344–000
STD12W–V	244058–000
STD12W–W	922324–000
STD12W–X	151660–000
STD12W–Y	976192–000
STD12W–Z	928688–000
STD12Y–0	9–1768044–8
STD12Y–1	9–1768044–9
STD12Y–2	1768045–1
STD12Y–3	1768045–2
STD12Y–4	1768045–3
STD12Y–5	1768045–4
STD12Y–6	1768045–5
STD12Y–7	1768045–6
STD12Y–8	1768045–7
STD12Y–9	1768045–8
STD12Y–A	1768045–9
STD12Y–AC	1–1768045–0

DESCRIPTION	PART NO.
STD12Y–B	1–1768045–2
STD12Y–BLANK	1–1768045–3
STD12Y–C	1–1768045–5
STD12Y–COLON	1–1768045–6
STD12Y–D	1–1768045–7
STD12Y–DOT	1–1768045–9
STD12Y–E	2–1768045–0
STD12Y–EARTH	2–1768045–1
STD12Y–F	2–1768045–3
STD12Y–G	2–1768045–5
4 ~~STD12Y–G–LC~~	~~2–1768045–6~~
STD12Y–H	2–1768045–7
STD12Y–I	2–1768045–9
STD12Y–J	3–1768045–0
STD12Y–K	3–1768045–1
STD12Y–L	3–1768045–3
STD12Y–M	3–1768045–5
STD12Y–MINUS	3–1768045–6
STD12Y–N	3–1768045–8
STD12Y–P	4–1768045–0
STD12Y–PLUS	4–1768045–1
STD12Y–Q	4–1768045–2
STD12Y–R	4–1768045–3
STD12Y–S	4–1768045–5
STD12Y–SLASH	4–1768045–6
STD12Y–T	4–1768045–7
STD12Y–U	4–1768045–8
STD12Y–V	4–1768045–9
STD12Y–W	5–1768045–0
STD12Y–X	5–1768045–1
STD12Y–Y	5–1768045–2
STD12Y–Z	5–1768045–3

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	–	SEE SHEET 1	–	—	—

4 OBSOLETE PART

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± –
1 PLC ± –
2 PLC ± –
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL –

FINISH –

DWN RAGHAVENDRA K 25MAR2013
CHK KEAN ALAN 25MAR2013
APVD MARIO APPELLO 25MAR2013
PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

TE Connectivity

NAME SNAP–ON MARKER STB/STD 12 WITH APPLICATOR

–

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C–1768045–1	—

CUSTOMER DRAWING | SCALE NTS | SHEET 3 OF 3 | REV 2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

STD12W-8