Rittal – The System.

Faster – better – everywhere.

Connection cable for PSM/PDU – DK 7200.216

Date : Apr 26, 2021

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Connection cable for PSM/PDU – DK 7200.216

created: 26.04.2021 build on www.rittal.com/uk-en



Product description

Design:	Connection cable
Description:	Connection and extension cable with various connector/jack types (earthing-pin/C19/C20). PVC line, 3-pole.

Product description

Connector:	D, earthing-pin (type F, CEE 7/4)
Sockets:	Kaltgerätebuchse C19
Dimensions:	Length: 1.8 m
Rated current (max.):	16 A
Packs of:	1 pc(s).
Weight/pack:	0.3 kg
Copper weight (kg per piece):	0
EAN:	4028177519237
Customs tariff number:	85444290
ETIM 7.0:	EC001576

ETIM 6.0:	EC001576
eCl@ss 8.0/8.1:	27060402
eCl@ss 6.0/6.1:	27189253
Product description:	DK Connection cable, L: 1,8 m, 100 - 240 V AC, 16 A, Earthing-pin plug/version D / C19, For PCU - Power Control Unit

Approvals

Certificates:	EAC