


LED Special E14 T18X50 1.8W (14W) 120lm 827 FR

Article number 142199

BAI LED Compact Tube 18x50mm E14 230V-240V 1.8W 2700K 120lm (14W) Frosted 300° LED-lamp

The LED compact series consists of lamps that are ideal as replacements for conventional lamps due to their compact design and high luminous flux. Ambient temperature range: -15°C to +40°C.



General ETIM properties

ETIM group	Lamps
ETIM class	LED-lamp/Multi-LED
Name	142199
Brand	Bailey
Productseries	LED Special
Product type	Tube E14

All rights reserved. We reserve the right to change designs and technical specifications of our products.

LED Special E14 T18X50 1.8W (14W) 120lm 827 FR

Article number 142199

ETIM specifications

Nominal voltage [V]	220 - 240
Nominal current [mA]	12 - 12
Power factor	0.9
Lamp power [W]	1.8 - 1.8
Voltage type	AC
Luminous flux [lm]	120 - 120
Rated luminous flux according to IEC 62612 [lm]	120
Lamp efficacy [lm/W]	67
Colour rendering index CRI	80-89
Lamp shape	Tube, single-ended
Filament lamp	No
Type of glass/cover	Frosted
Colour of light according to EN 12464-1	Warm white <3300 K
Socket	E14
Colour	White
Colour temperature [K]	2700 - 2700
Colour housing	Other
Beam angle [°]	300 - 300
Colour consistency (McAdam ellipse)	SDCM6
Dimmable	No
Diameter [mm]	18
Length [mm]	50
Degree of protection (IP)	IP20
Energy Efficiency Index (EEI)	0.12
Lamp designation	Other
Energy efficiency class	G
Min. number of switching cycles	7500
Weighted energy consumption in 1000 hours [kWh]	2
Average nominal lifespan [h]	15000
Remote operation possible	No
With remote control	No
Photobiological safety according to EN 62471	Other
Compatible with Apple HomeKit	No
Compatible with Google Assistant	No
Compatible with Amazon Alexa	No
IFTTT support available	No

Bailey Electric & Electronics bv | Everdenberg 21 | 4902 TT Oosterhout | nl | +31 (0)162 52 24 46 | info@bailey.nl

All rights reserved. We reserve the right to change designs and technical specifications of our products.

Alternative articles



145530

LED Fil P26X58 E14
1.5W (15W) 136lm
2700K Softline

All rights reserved. We reserve the right to change designs and technical specifications of our products.